ELSEVIER

Neuroscience Letters 236 (1997) 181–183

Neuroscience Letters

Author index to Volume 236

Aguerre, S., see Gauffre, J.-C., 112
Ahlenius, S., see Salmi, P., 57
Ajiki, K., see Matsuura, J., 95
Akaike, N., see Yamamoto, T., 79
Akkermans, L.M.A., see Schutte, I.W.M., 159
Andersen, S.L., see Yeghiayan, S.K., 147
Arnold, M., see Witte, H., 175

Bailey, A.R.T., Wakerley, J.B., Electrophysiological responses of neurones in the rat nucleus tractus solitarius to oxytocin-releasing stimuli, 163
Baldessarini, R.J., see Yeghiayan, S.K., 147
Balzamo, E., Vuillon-Cacciuttolo, G., Burnet, H., Jammes, Y., Influence of respiratory afferents upon the proprioceptive reflex of skeletal muscles in healthy humans, 127
Bergamaschi, S., see Curti, D., 13
Bianchetti, A., see Curti, D., 13
Boval, B., see El Hafny, B., 107
Brouwer, N., see Copray, J.C.V.M., 41
Burnet, H., see Balzamo, E., 127

Capani, F., see Selvín-Testa, A., 75
Cattaneo, A., see Curti, D., 13
Chaouloff, F., see Gauffre, J.-C., 112
Chappey, O., see El Hafny, B., 107
Choi, R.C.Y., Pun, S., Dong, T.T.X., Wan, D.C.C., Tsim, K.W.K., NG108-15 cells induce the expression of muscular acetylcholinesterase when co-cultured with myotubes, 167
Clemmons, H.R., see Vaccarino, A.L., 117
Copray, J.C.V.M., Brouwer, N., Neurotrophin-3 mRNA expression in rat intrafusal muscle fibres after denervation and reinnervation, 41
Coyle, J.T., see Orlando, L.R., 91
Curti, D., Rognoni, F., Gasparini, L., Cattaneo, A., Paolillo, M., Racchi, M., Zani, L., Bianchetti, A., Trabucchi, M., Bergamaschi, S., Govoni, S., Oxidative metabolism in cultured fibroblasts derived from sporadic Alzheimer's disease (AD) patients, 13

Debray, M., see El Hafny, B., 107
D'Emilia, D.M., see Tenneti, L., 139
Dong, T.T.X., see Choi, R.C.Y., 167
Duncan Jr., W.C., Johnson, K.A., Wehr, T.A., Increase of 5HT and VIP immunoreactivity within the hamster SCN during chronic MAOI treatment, 159

Eiselt, M., see Witte, H., 175
El Hafny, B., Chappey, O., Piciotti, M., Debray, M., Boval, B., Roux, F., Modulation of P-glycoprotein activity by glial factors and retinoic acid in an immortalized rat brain microvessel endothelial cell line, 107

Fabián Loidl, C., see Selvín-Testa, A., 75
Fahrbach, S.E., Giray, T., Farris, S.M., Robinson, G.E., Expansion of the neuropil of the mushroom bodies in male honey bees is coincident with initiation of flight, 135
Farkas, L.M., Scheuermann, S., Pohl, J., Unsicker, K., Krieglstein, K., Characterization of growth/differentiation factor 5 (GDF-5) as a neurotrophic factor for cultured neurons from chicken dorsal root ganglia, 120
Farris, S.M., see Fahrbach, S.E., 135
Fite, K.V., see Januonis, S., 1
Fouad, K., Pearson, K.G., Modification of group I field potentials in the intermediate nucleus of the cat spinal cord after chronic axotomy of an extensor nerve, 9

Gahery, Y., see Patchay, S., 143
Gasparini, L., see Curti, D., 13
Gauffre, J.-C., Aguerre, S., Mormède, P., Chaouloff, F., Cortical [^{3}H]ketanserin binding and 5-HT$_{2A}$ receptor-mediated inositol phosphate production in the spontaneously hypertensive rat and Lewis rat strains, 112
Giovannini, M.G., see Zhelyazkova-Savova, M., 151
Giray, T., see Fahrbach, S.E., 135
Govoni, S., see Curti, D., 13
Grahn, J., see Jagger, A., 103

Hiramatsu, M., Hyodo, T., Kameyama, T., U-50,488H, a selective kappa opoid receptor agonist, ameliorates memory impairments induced by muscarinic autoreceptor agonist, carbachol in mice, 45
Hirota, K., see Sikand, K.S., 87
Hoffmann, K., see Witte, H., 175
Hollestein, K.B.C.W., see Schutte, I.W.M., 159
Holstege, G., see VanderHorst, V.G.J.M., 25
Homma, A., see Tohgi, H., 21
Huang, W.-T., Lin, M.-T., Won, S.-J., Mechanisms and sites of pyrogenic action exerted by staphylococcal enterotoxin A in rabbits, 53
Hyodo, T., see Hiramatsu, M., 45

Ichikawa, T., see Matsuura, J., 95
Inoue, M., Nakayamada, H., Tokuyama, S., Ueda, H., Peripheral non-opioid analgesic effects of kyotorphin in mice, 60

Jäger, H., see Witte, H., 175
Jagger, A., Grahn, J., Ritter, R.C., Reduced vagal sensory innervation of the small intestinal myenteric plexus following capsaicin treatment of adult rats, 103
Jammes, Y., see Balzamo, E., 127
Januonis, S., Fite, K.V., NMDAR1-like immunoreactive fibers appear in the ipsilateral optic tract during optic nerve regeneration in *Rana pipiens*, 1

0304-3940/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved
PII S0304-3940(97)00822-7

Johnson, K.A., see Duncan Jr., W.C., 159

Kakehata, S., see Yamamoto, T., 79
Kameyama, T., see Hiramatsu, M., 45
Kasanuma, Y., see Watanabe, C., 49
Kato, E., see Tohgi, H., 21
Kelsoe, J.R., see Shilling, P.D., 131
Kobayashi, J.-i., Ohta, M., Terada, Y., Evidence for the involvement of Na^+-K^+ pump and K^+ conductance in the post-tetanic hyperpolarization of the tetrodotoxin-resistant C-fibers in the isolated bullfrog sciatic nerve, 171
Komori, M., see Shimura, T., 33
Krieglstein, K., see Farkas, L.M., 120
Krivanek, J., Protein kinase C in the parabrachial nucleus of rats during conditioned taste aversion induced by amphetamine, 17
Kroese, A.B.A., see Schutte, I.W.M., 159
Kuba, K., see Tokimasa, T., 123
Kyuhou, S.-i., see Matsuzaki, R., 99

Lambert, D.G., see Sikand, K.S., 87
Layton, M.E., Pazdernik, T.L., Samson, F.E., Cerebral penetration injury leads to H_2O_2 generation in microdialysis samples, 63
Lazarov, N., Pilgrim, C., Localization of D_1 and D_2 dopamine receptors in the rat mesencephalic trigeminal nucleus by immunocytochemistry and in situ hybridization, 83
Lin, M.-T., see Huang, W.-T., 53
Lipton, S.A., see Tenneti, L., 139
Luthi-Carter, R., see Orlando, L.R., 91
Lynch, G.R., see Redlin, U., 67

Mader Jr., G.J., see Vaccarino, A.L., 117
Magnusson, J.E., see Vaccarino, A.L., 117
Matsuura, J., Ajiki, K., Ichikawa, T., Misawa, H., Changes of expression levels of choline acetyltransferase and vesicular acetylcholine transporter mRNAs after transection of the hypoglossal nerve in adult rats, 95
Matsuzaki, R., Kyuhou, S.-i., Pontine neurons which relay projections from the superior colliculus to the posterior vermis of the cerebellum in the cat: distribution and visual properties, 99
Meijer, E., see VanderHorst, V.G.J.M., 25
Misawa, H., see Matsuura, J., 95
Mormède, P., see Gauffre, J.-C., 112

Nakayamada, H., see Inoue, M., 60
Niina, R., see Tohgi, H., 21
Niles, L.P., Smith, L.J., Tenn, C.C., Modulation of c-*fos* expression in the rat striatum by diazepam, 5
Nishimura, T., see Tokimasa, T., 37

Ohta, M., see Kobayashi, J.-i., 171
Orlando, L.R., Luthi-Carter, R., Standaert, D.G., Coyle, J.T., Penney Jr., J.B., Young, A.B., *N*-Acetylaspartylglutamate (NAAG) protects against rat striatal quinolinic acid lesions in vivo, 91

Paolillo, M., see Curti, D., 13
Patchay, S., Gahery, Y., Serratrice, G., Gait initiation and impairments of ground reaction forces as illustrated in old age by 'La marche à petits pas', 143
Pazdernik, T.L., see Layton, M.E., 63
Pearson, K.G., see Fouad, K., 9
Pecci-Saavedra, J., see Selvín-Testa, A., 75
Penney Jr., J.B., see Orlando, L.R., 91
Pepeu, G., see Zhelyazkova-Savova, M., 151
Piciotti, M., see El Hafny, B., 107
Pierau, F.-K., see Sann, H., 29
Pilgrim, C., see Lazarov, N., 83
Pohl, J., see Farkas, L.M., 120
Pun, S., see Choi, R.C.Y., 167
Putsche, P., see Witte, H., 175

Racchi, M., see Curti, D., 13
Ratner, A., see Shir, Y., 71
Redlin, U., Lynch, G.R., Effects of pinealectomy on SCN electrical firing rhythm in Djungarian hamsters, 67
Ritter, R.C., see Jagger, A., 103
Robinson, G.E., see Fahrbach, S.E., 135
Rognoni, F., see Curti, D., 13
Roux, F., see El Hafny, B., 107

Saito, H., see Yamamoto, T., 79
Saito, T., see Yamamoto, T., 79
Salmi, P., Ahlenius, S., Dihydrexidine produces hypothermia in rats via activation of dopamine D_1 receptors, 57
Samson, F.E., see Layton, M.E., 63
Sann, H., Walb, G., Pierau, F.-K., Postnatal development of the autonomic and sensory innervation of the musculature in the rat urinary bladder
Sasaki, K., see Tohgi, H., 21
Sasaki, M., see Tohgi, H., 21
Satoh, H., see Watanabe, C., 49
Schack, B., see Witte, H., 175
Schasfoort, F.C., see VanderHorst, V.G.J.M., 25
Scheuermann, S., see Farkas, L.M., 120
Schutte, I.W.M., Hollestein, K.B.C.W., Akkermans, L.M.A., Kroese, A.B.A., Evidence for a role of cholecystokinin as neurotransmitter in the guinea-pig enteric nervous system, 155
Segal, D.S., see Shilling, P.D., 131
Seltzer, Z., see Shir, Y., 71
Selvín-Testa, A., Capani, F., Fabián Loidl, C., Pecci-Saavedra, J., The nitric oxide synthase expression of rat cortical and hippocampal neurons changes after early lead exposure, 75
Serratrice, G., see Patchay, S., 143
Shilling, P.D., Kelsoe, J.R., Segal, D.S., Dopamine transporter mRNA is up-regulated in the substantia nigra and the ventral tegmental area of amphetamine-sensitized rats, 131
Shimura, T., Komori, M., Yamamoto, T., Acute sodium deficiency reduces gustatory responsiveness to NaCl in the parabrachial nucleus of rats
Shir, Y., Ratner, A., Seltzer, Z., Diet can modify autotomy behavior in rats following peripheral neurectomy, 71
Shirasaki, T., see Tokimasa, T., 123
Sikand, K.S., Hirota, K., Smith, G., Lambert, D.G., Etomidate inhibits [^{3}H]noradrenaline release from SH-SY5Y human neuroblastoma cells, 87
Smith, G., see Sikand, K.S., 87
Smith, L.J., see Niles, L.P., 5
Standaert, D.G., see Orlando, L.R., 91

Takahashi, S., see Tohgi, H., 21
Tenn, C.C., see Niles, L.P., 5
Tenneti, L., D'Emilia, D.M., Lipton, S.A., Suppression of neuronal apoptosis by *S*-nitrosylation of caspases, 139
Terada, Y., see Kobayashi, J.-i., 171
Tohgi, H., Takahashi, S., Kato, E., Homma, A., Niina, R., Sasaki, K.,

Yonezawa, H., Sasaki, M., Reduced size of right hippocampus in 39- to 80-year-old normal subjects carrying the apolipoprotein E ϵ4 allele, 21
Tokimasa, T., Nishimura, T., Actions of barium on rapidly inactivating potassium current in bullfrog sympathetic neurons, 37
Tokimasa, T., Shirasaki, T., Kuba, K., Evidence for the calcium-dependent potentiation of M-current obtained by the ratiometric measurement of the fura-2 fluorescence in bullfrog sympathetic neurons, 123
Tokuyama, S., see Inoue, M., 60
Trabucchi, M., see Curti, D., 13
Tsim, K.W.K., see Choi, R.C.Y., 167

Ueda, H., see Inoue, M., 60
Unsicker, K., see Farkas, L.M., 120

Vaccarino, A.L., Clemmons, H.R., Mader Jr., G.J., Magnusson, J.E., A role of periaqueductal grey NMDA receptors in mediating formalin-induced pain in the rat, 117
Van Leeuwen, F.W., see VanderHorst, V.G.J.M., 25
VanderHorst, V.G.J.M., Meijer, E., Schasfoort, F.C., Van Leeuwen, F.W., Holstege, G., Estrogen receptor-immunoreactive neurons in the lumbosacral cord projecting to the periaqueductal gray in the ovariectomized female cat, 25
Vuillon-Cacciuttolo, G., see Balzamo, E., 127

Wakerley, J.B., see Bailey, A.R.T., 163
Walb, G., see Sann, H., 29
Wan, D.C.C., see Choi, R.C.Y., 167
Watanabe, C., Kasanuma, Y., Satoh, H., Deficiency of selenium enhances the K^+-induced release of dopamine in the striatum of mice, 49
Wehr, T.A., see Duncan Jr., W.C., 159
Witte, H., Putsche, P., Eiselt, M., Hoffmann, K., Schack, B., Arnold, M., Jäger, H., Analysis of the interrelations between a low-frequency and a high-frequency signal component in human neonatal EEG during quiet sleep, 175
Won, S.-J., see Huang, W.-T., 53

Yamada, T., see Yamamoto, T., 79
Yamamoto, T., Kakehata, Yamada, T., Saito, T., Saito, H., Akaike, N., Effects of potassium channel blockers on the acetylcholine-induced currents in dissociated outer hair cells of guinea pig cochlea, 79
Yamamoto, T., see Shimura, T., 33
Yeghiayan, S.K., Andersen, S.L., Baldessarini, R.J., Lack of effect of chronic clorgyline or selegiline on dopamine and serotonin transporters in rat caudate-putamen or nucleus accumbens septi, 147
Yonezawa, H., see Tohgi, H., 21
Young, A.B., see Orlando, L.R., 91

Zani, L., see Curti, D., 13
Zhelyazkova-Savova, M., Giovannini, M.G., Pepeu, G., Increase of cortical acetylcholine release after systemic administration of chlorophenylpiperazine in the rat: an in vivo microdialysis study, 151